

# Parachutage Hardware Onderdelenlijst



Alle hardware items voor Parachute gebruik werden opgesomd op deze pagina.  
Graag beantwoorden we uw specifieke vragen.





Contacteer ons [info@jera-aae.com](mailto:info@jera-aae.com)






Tel. 056 50 63 90  
Gsm 0479 83 52 46


- **Adapters**
- **Adjusters**
- **Clevis**
- **D-Rings**
- **Hooks and Snaps**
- **Knives**
- **Links**
- **O-Rings**
- **V-Rings**

## Adapters

	<p><b>1203 Adapter Parachute Harness, Quick Fit</b> Military/Parachute 1203-1 PS22040-1 1203-2 PS22040-2 Fall Arrest/Safety 1203-1S/1203-1G</p>	<ul style="list-style-type: none"><li>• Hot Forged Alloy Steel</li><li>• Thermal Treated</li><li>• 100% Proof Load Tested @ 2500 lbs. and</li><li>• 100% Side Load Tested @ 1000 lbs.</li><li>• Minimum Tensile Strength 4000 lbs.</li><li>• Approximate weight 3.1 ounces</li><li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li></ul>
	<p><b>1212 Adapter Quick Fit, Reversible with tensioner &amp; spring</b> Military/Parachute 1212-1 PS70124-1 Fall Arrest/Safety 1212-1S</p>	<ul style="list-style-type: none"><li>• Hot Forged Alloy Steel</li><li>• 100% Proof Load Tested @ 2500 lbs.</li><li>• Minimum Tensile Strength 4000 lbs.</li><li>• Approximate weight 4.0 ounces</li><li>• Meets or exceeds PIA-H-7195 and ANSI Z-359.2</li></ul>

	<p><b>1232 Adapter Strap Adjusting</b>  Military/Parachute  1232-3 PS22014-3  Fall Arrest/Safety  1232-3S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 1000 lbs.</li> <li>• 100% Side Load Tested @ 1000 lbs.</li> <li>• Minimum Tensile Strength 4000 lbs.</li> <li>• Approximate weight 1.7 ounces</li> <li>• Meets or exceeds PIA-H-7195 and ANSI Z-359.2</li> </ul>
	<p><b>1236 Adapter Quick Fit, Small Frame</b>  Military/Parachute  1236-1 PS70114-1  Fall Arrest/Safety  1236-1S/1236-1G</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• 100% Side Load Tested @ 1000 lbs.</li> <li>• Minimum Tensile Strength 4000 lbs.</li> <li>• Approximate weight 2.0 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li> </ul>
	<p><b>1238 Adapter Harness Strap, Uneven Slide</b>  Military/Parachute  1238-1 PS22047-1  1238-2 PS22047-2  Fall Arrest/Safety  1238-1S  1238-1G</p>	<ul style="list-style-type: none"> <li>• Stamped Sheet Metal Alloy</li> <li>• 100% Proof Load Tested @ 1000 lbs.</li> <li>• Minimum Tensile Strength 4000 lbs.</li> <li>• Approximate weight 1.0 ounces</li> <li>• Meets or exceeds PIA-H-7195 and ANSI Z-359.2</li> </ul>
	<p><b>1245 Adapter Parachute Harness Adjusting Strap</b>  Military/Parachute  1245-1 PS22014-2  Fall Arrest/Safety  1245-1S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 1000 lbs.</li> <li>• 100% Side Load Tested @ 1000 lbs.</li> <li>• Minimum Tensile Strength 4000 lbs.</li> <li>• Approximate weight 1.7 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li> </ul>


	<p><b>1246 Adapter Reversible Quick Fit</b> Military/Parachute 1246-1 PS22019-1 Fall Arrest/Safety 1246-1S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• 100% Side Load Tested @ 1000 lbs.</li> <li>• Minimum Tensile Strength 4000 lbs.</li> <li>• Approximate weight 3.0 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li> </ul>
	<p><b>1257 Adapter Reversible Quick Fit</b> Military/Parachute 1257-1 PS70101-1 1257-2 PS70101-2 1257-3 PS70101-3 Fall Arrest/Safety 1257-1S 1257-1G</p>	<ul style="list-style-type: none"> <li>• Stamped Sheet Metal Alloy</li> <li>• 100% Proof Load Tested @ 500 lbs</li> <li>• 100% Side Load Tested @ 200 lbs.</li> <li>• Minimum Tensile Strength 4000 lbs.</li> <li>• Approximate weight 1.3 ounces</li> <li>• Meets or exceeds PIA-H-7195 and ANSI Z-359.2</li> </ul>
	<p><b>1270 Adapter Parachute Harness, Quick Release</b> Military/Parachute 1270-1 44A9360</p>	<ul style="list-style-type: none"> <li>• Stamped Sheet Metal Alloy</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 1.7 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2009SS Adapter Parachute Harness Assy</b> 2009-SS 814AS802</p>	<ul style="list-style-type: none"> <li>• Hot Forged 15-5PH Stainless Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs. and</li> <li>• 100% Side Load Tested @ 1000 lbs.</li> <li>• Approximate weight 1.7 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2019S Adapter Parachute Harness Adjusting Strap</b> Military/Parachute 1979AS611</p>	<ul style="list-style-type: none"> <li>• Hot Forged 15-5 PH Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 1,000 lbs</li> <li>• 100% Side Load Tested @ 1,000 lbs</li> </ul>

		<ul style="list-style-type: none"> <li>• Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2052-1 Adapter Parachute Harness Adjusting Strap</b> Military/Parachute</p> <p>PS22014-1 MS22014-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 1,000 lbs</li> <li>• 100% Side Load Tested @ 1,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>

## Adjusters

	<p><b>1256 Adjuster Safety Shoulder Harness</b> Military/Parachute</p> <p>1256-1 MS22007-1 1256-2 MS22007-2 with spring</p> <p>1256-1 PS22007-1 1256-2 PS22007-2 with spring</p>	<ul style="list-style-type: none"> <li>• Stamped Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2000 lbs.</li> <li>• Approximate weight 3.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1271 Adjuster Lap, Aircraft Safety Belt 3" web slot</b> Military/Parachute</p> <p>1271-1 MS22004-1 PS22004-1</p>	<ul style="list-style-type: none"> <li>• Stamped Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 5.8 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2075 Connector, Adjustable</b> Military/Parachute</p> <p>60D562</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 3,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>






## Clevis

	<p><b>2057-1 Clevis</b>  <b>Suspension, Air Delivery</b>          Military/Parachute</p> <p>PS70087-1          MS70087-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Immersion Zinc Flake/Chromate Finish</li> <li>• Meets or exceeds MIL-C-40137</li> </ul>
---	--	---

## D-Rings



	<p><b>1202 D-Ring</b>  <b>Parachute/Harness</b>          Military/Parachute</p> <p>1202-1 PS22046-1          1202-2 PS22046-2          Fall Arrest/Safety          1202-1S/1202-1G</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Minimum Tensile Strength 5000 lbs.</li> <li>• Approximate weight 3.5 ounces</li> <li>• Meets or exceeds PIA-H-7195 ANSI Z-359.2, and CSA Z-259.12-01</li> </ul>
	<p><b>1202-3 D-Ring</b>  <b>Parachute/Harness</b>          Military/Parachute</p> <p>PS22046-3 PS22046-4          Same as 1202 with (2) .1406 dia. holes drilled on center bar 1" apart.</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad or Phosphate finish</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Approximate weight 3.5 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1218 D-Ring</b>  <b>Cargo Restraint</b>          Military/Parachute</p> <p>1218-7 MS22046-7          1218-8 MS22046-8</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad or Phosphate finish</li> <li>• 100% Proof Load Tested @ 5,000 lbs.</li> <li>• Approximate weight 8 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>




	<p><b>1229 D-Ring Parachute/Harness</b> Military/Parachute 1229-1 1229-2 Fall Arrest/Safety 1229-1S/1229-1G Same as 1202 with 40 degree bend</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 5000 lbs l</li> <li>• Thermal Treated</li> <li>• Minimum Tensile Strength 6000 lbs.</li> <li>• Approximate weight 3.5 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li> </ul>
	<p><b>1230 D-Ring Parachute Harness</b> Military/Parachute 1230-1 11-1-485</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 6000 lbs</li> <li>• Approximate weight 4 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1235 D-Ring Separable Bar</b> Military/Parachute 1235-1 101407</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Approximate weight 4 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1296 D-Ring Cargo Tie Down</b> Military/Parachute 353512-1 11-1-6944</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Approximate weight 3 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2025 D-Ring Rescue Ring Assy, Snaplink</b> Military/Parachute 1979AS975-1 NSN1670-01-457-6899</p>	<ul style="list-style-type: none"> <li>• Hot Forged 17-4 PH Stainless Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2300 lbs.</li> <li>• Approximate weight 4.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>




	<p><b>2029-1 Bent D-Ring</b> Military/Parachute</p> <p>11-1-3538</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 5,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2031 Replaceable Bar D-Ring</b> Military/Parachute</p> <p>11-1-4232</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated Iridescent Bronze</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2045 D-Ring</b> Cargo Military/Parachute</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Zinc Plated</li> <li>• 100% Proof Load Tested @ 10,000 lbs</li> <li>• Approximate weight 6 oz.</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2049 D-Ring, Bent</b> Parachute</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Electroless Nickel or Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2076 D-Ring, Gunners</b> Military/Parachute</p> <p>62A129C-2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>




## Hooks and Snaps

	<p><b>1204 Hook Snap, Quick Connector</b>          Military/Parachute          1204-1 PS22042-1          1204-2 PS22042-2          Fall Arrest/Safety          1204-1G 1204-1S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad, Zinc, Electroless Nickel or Chromate finish</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Minimum Tensile Strength 5000 lbs.</li> <li>• Approximate weight 5.8 ounces</li> <li>• Meets or exceeds PIA-H-7195 and ANSI Z-359.2</li> <li>• Available with or without tabs</li> </ul>
	<p><b>1206 Hook Snap, Parachute Harness Quick Fit</b>          Military/Parachute          1206-1 PS22043-1          1206-2 PS22043-2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• 100% Side Load @ 1000 lbs</li> <li>• Approximate weight 5.8 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1222 Hook Snap Assembly, Ejector w/ Removable Pin and Roller</b>          Military/Parachute          1222-3 68D37721-3</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs</li> <li>• Approximate weight 6.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>


	<p><b>1223E Hook Snap, Parachute Harness Quick Fit Ejector</b> Military/Parachute 1223-1E PS22018-1E</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 6.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1231 Hook Snap, Parachute Harness</b> Military/Parachute 1231-1 PS22044-1 1231-2 PS22044-2 1231-1S 1231-1G</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs l</li> <li>• Approximate weight 4.2 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1233 Hook Snap Assembly, Ejector</b> Parachute 1233-1 PS22017-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs</li> <li>• Approximate weight 4.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1233E Hook Snap, Parachute Harness Quick Fit Ejector</b> Military/Parachute 1233-1E PS22017-1E</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 4.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>

	<p><b>1240 Hook Snap, Parachute Harness</b>  Military/Parachute  1240-1 11-1-2501  1240-1S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 4.2 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1241 Hook Snap, Parachute Chest Type Connector</b>  Military/Parachute  1241-1 PS70121-1  1241-2 PS70121-2 Without wings</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Approximate weight 7.4 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1262 Hook Snap, Quick Connector Parachute Harness</b>  Military/Parachute  1262-1  MS22042 w / 1" web slot</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Approximate weight 5.9 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>


	<p><b>1269 Hook Snap, Cargo Net</b> Military/Parachute 1269-1 1269-1G</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Minimum Tensile Strength 11000 lbs.</li> <li>• Approximate weight 10.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1291 Hook Snap, Quick Release</b> Military/Parachute 1291-1 PS70099-1 1291-2 PS70099-2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Approximate weight 8.3 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2015-1 Snap, Aluminum Parachute Lanyard</b> Military/Parachute PS27756 MS27756</p>	<ul style="list-style-type: none"> <li>• Hot Forged Aluminum Alloy</li> <li>• Thermal Treated</li> <li>• Anodize Finish, color as requested</li> <li>• 100% Proof Load Tested @ 500 lbs</li> <li>• Throat opening 5/16" (8mm)</li> <li>• Approximate weight 1.6 oz.</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
<p>Picture Available Soon</p>	<p><b>2060 Snap Hook, Parachute Harness</b> Military/Parachute 48B7884</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>






	<p><b>2069 Snap Hook</b> Fall Arrest/Safety Military/Parachute Cargo</p> <p>22042-HD (3071)</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 5,000 lbs</li> <li>• Ultimate Load 9,000 lbs.</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2072 Hook, Reverse Parachute Snap</b> Military/Parachute</p> <p>Dimensionally the same as PS22042 with welded back plate. 1/8" holes, 5 on each side of back plate.</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad, Zinc, Electroless Nickel or Chromate finish</li> <li>• 100% Proof Load Tested @ 5,000 lbs</li> <li>• Minimum Tensile Strength 5000 lbs</li> <li>• Approximate weight 6 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2088 Hook, Snap, Parachute Static Line</b> Military/Parachute 11-1-6991 Assembly</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad plated</li> <li>• 100% Proof Load Tested @ 1750 lbs</li> <li>• Minimum Tensile Strength 8000 lbs</li> <li>• Approximate weight 9.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> <li>• Meets SAE-AMS-F-7190</li> </ul>
<p>Picture Available Soon</p>	<p><b>2091 Hook, Snap, with 1-3/4" Strap Bar</b> Military/Parachute 2091-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Chromate finish</li> <li>• 100% Proof Load Tested @ 20,000 lbs</li> <li>• Approximate weight 1 lb. 8 ounces</li> </ul>






## Knives




	<p><b>2065 Parachute Knife</b> Military/Parachute 823AS101-1</p>	<ul style="list-style-type: none"> <li>• Blade - 440C Stainless Steel</li> <li>• Handle - Orange PVC</li> <li>• Blade Shield - Clear Vinyl</li> </ul>
---	--	---





## Links

	<p><b>1211 Link Parachute Removable Connector</b> Military/Parachute 1211-1 PS22002-1 1211-2 PS22002-2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 2.6 ounces</li> <li>• Meets or exceeds PIA-H-7195/PIA-H-7195</li> </ul>
	<p><b>1221 Link Connector, Harness</b> Military/Parachute PS27764</p>	<ul style="list-style-type: none"> <li>• Hot Forged 2014 Aluminum Alloy</li> <li>• 100% Proof Load Tested @ 5000 lbs.</li> <li>• Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1239 Link Parachute Separable Connector</b> Military/Parachute 1239-1 52B6660</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 6000 lbs.</li> <li>• Approximate weight 3 ounces</li> <li>• Meets or exceeds PIA-H-7195 and PIA-H-7195</li> </ul>






	<p><b>1242 Link Parachute Separable Heavy Duty Connector</b> Military/Parachute PS24553-1 1670-EG-005</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 15,000 lbs</li> <li>• Approximate weight 8.4 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
<p>Picture Available Soon</p>	<p><b>1243 Link Parachute, Separable Heavy Duty Connector</b> 1" version of 1242 Military/Parachute</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 15,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1244 Link Parachute Separable Connector</b> 1" version of 1239/52B6660 Military/Parachute 1244-1</p>	<ul style="list-style-type: none"> <li>• 1" version of 1239/52B6660</li> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 6000 lbs.</li> <li>• Approximate weight 4 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1247 Link Speed Link, Parachute Removable Connector</b> Military/Parachute 1247-1 MS22021-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs and Side Load 1500 lbs.</li> <li>• Approximate weight 2.9 ounces</li> <li>• Meets or exceeds PIA-H-7195 and PIA-H-7195</li> </ul>
	<p><b>1248 Link Pear Shaped Hoist &amp; Cargo Net, Light Duty</b> Parachute 1248-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Carbon Steel</li> <li>• Proof load test 5% sample at 2500 lbs</li> <li>• Approximate weight 2 pounds</li> </ul>
	<p><b>1250 Link Solid Connector/Adjuster</b> Military/Parachute 1250-1 PS70108-1 1250-2 PS70108-2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 2 ounces</li> </ul>






	<p>Fall Arrest/Safety 1250-1S 1250-1G</p>	<ul style="list-style-type: none"> <li>• Minimum Tensile Strength 5000 lbs.</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li> </ul>
	<p><b>1252 Link Connector Assembly</b> Military/Parachute 1252-1 PS70118-1 1252-2 PS70118-2 1252-3 PS70118-3</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 3 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1253 Link 1" Removable Parachute Connector</b> Military/Parachute 1253-1 MS22021 1" Version</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 2.9 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1254 Link Safety Belt, Adjustable Shoulder Strap</b> Military/Parachute 1254-1 42A14566 Fall Arrest/Safety 1254-1S/1254-1G</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 1200 lbs</li> <li>• Approximate weight 1.1 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li> </ul>
	<p><b>1255 Link Anchor, Lap Safety Belt 3" web Slot</b> Military/Parachute 1255-1 PS22010-1 1/4" ID Bushing 1255-2 PS22010-2 5/16" ID Bushing</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 5.3 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1258 Link Lap, Safety Belt 3" Web Slot</b> Military/Parachute 1258-1 PS22003-1 Fall Arrest/Safety 1258-1S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 5.3 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and CSA Z-259.12-01</li> </ul>

	<p><b>1263S Link</b>  <b>Roller Link Assembly,</b>  <b>Shoulder Parachute</b>  <b>Harness Military/Parachute</b>  1263-7 60A125C9-7</p>	<ul style="list-style-type: none"> <li>• Hot Forged 316 Stainless Steel</li> <li>• Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1275 Link</b>  <b>Lap Safety Belt</b>  <b>1-3/4" Web Slot</b>  Military/Parachute  1275-1 44B26454  Fall Arrest/Safety  1275-1S  Racing  1275-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 2.5 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359.2 and SFI 16.1</li> </ul>
	<p><b>1288 Link</b>  <b>Lap Safety Belt</b>  Military/Parachute  1288-1 55B1307  Racing  1288-1S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 1250 lbs.</li> <li>• Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195 and ANSI Z-359</li> </ul>
	<p><b>1290 Link</b>  <b>Quick Release</b>  <b>1-3/4" Web Slot</b>  Military/Parachute  1290-1 MS70098-1  1290-2 MS70098-2  Racing  1290-1S</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 1500 lbs.</li> <li>• Approximate weight 2.8 ounces</li> <li>• Meets or exceeds PIA-H-7195, ANSI Z-359 and SFI 16.1</li> </ul>
	<p><b>2008SS Link</b>  <b>Harness Link</b>  Military/Parachute  2008-SS 814AS801-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged 15-5PH Stainless Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs and 1000 lbs side load</li> <li>• Approximate weight 2.0 ounces</li> <li>• Meets or exceeds PIA-H-7195 and PIA-H-7195</li> </ul>

	<p><b>2047 Link, Parachute Separable Connector</b> Military/Parachute (6032)</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 15,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2051 Link Quick Release</b> Military/Parachute PS70116 MS70116</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• 100% Side Load Tested @ 1,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2054 Link Quick Release</b> Military/Parachute 11-1-183</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• 100% Side Load Tested @ 1,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2071 Link Fastener</b> Military/Parachute 62C125A-2 (L+R, L shown) 63C4010</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 3,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>

## O-Rings

	<p><b>1268 O-Ring Reefing Ring</b> Military/Parachute 1268-1 PS27762 48A7995</p>	<ul style="list-style-type: none"> <li>• Carbon Steel</li> <li>• Approximate weight 1.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1298 O-Ring</b> <b>3" O.D. - 2.25" I.D.</b> Military/Parachute 1298-1 11-1-599 Cargo/Fall Arrest/Safety 1298-1S 1298-1G</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Zinc Plated</li> <li>• 100% Proof Load Tested @ 3,600 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> <li>• Meets or exceeds ANSI Z-359.2 and CSA Z-259.12-0</li> </ul>
	<p><b>2005 O-Ring Parachute Ring 2</b> Parachute 2005-1 924065 Engineered to mate with 2006</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Electroless Nickel Finish</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 2.0 ounces</li> <li>• Meets or exceeds PIA-H-7195 and PIA-H-7195</li> </ul>
	<p><b>2006 O-Ring Parachute Ring 3</b> Parachute 2006-1 924075 Engineered to mate with 2005</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Electroless Nickel Finish</li> <li>• 100% Proof Load Tested @ 3000 lbs.</li> <li>• Approximate weight 2.0 ounces</li> <li>• Meets or exceeds PIA-H-7195 and PIA-H-7195</li> </ul>
	<p><b>2032 O-Ring</b> <b>1.671" O.D. - 1.296" I.D.</b> Military/Parachute 11-1-3539</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 600 lbs</li> <li>• Also available in Hot Forged 17-4 PH Stainless Steel with high luster finish</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>

	<p><b>2035 O-Ring, No. 3</b>  <b>1.255" O.D. - .870 I.D.</b>  Military/Parachute  11-1-3540</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 600 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2058 O-Ring</b>  <b>2.25" O.D. - 1.75" I.D.</b>  Parachute</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2059 O-Ring</b>  <b>2.203" O.D.- 1.500" I.D.</b>  Parachute</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 7,500 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2068 O-Ring, No. 4</b>  <b>.810 " O.D. - .540" I.D.</b>  Military/Parachute  11-1-3541</p>	<ul style="list-style-type: none"> <li>• Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 600 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2073 O-Ring</b>  <b>1.375" O.D. - .875" I.D.</b>  Military/Parachute  66 B 1717</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>

## V-rings


	<p><b>1208 V-Ring Parachute Harness Triangle</b> Military/Parachute 1208-1 PS22020-1 1208-2 PS22020-2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195 and PIA-H-7195</li> </ul>
	<p><b>1208SS Triangle Link</b> Military/Parachute</p>	<ul style="list-style-type: none"> <li>• Hot Forged 316 Stainless Steel</li> <li>• Thermal Treated</li> <li>• Electropolished Finish Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1209 V-Ring Accessory Attaching Ring</b> Military/Parachute 1209-1 PS70123-1</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 500 lbs.</li> <li>• Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195 and PIA-H-7195</li> </ul>
	<p><b>1219A V-Ring Adjustable, with Tensioner and Spring</b> Military/Parachute 1219-1 PS27765-1 1219-1D PS27765-1D Fall Arrest/Safety 1219-1G</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Minimum Tensile Strength 5000 lbs.</li> <li>• Approximate weight 4.8 ounces</li> <li>• Meets or exceeds PIA-H-7195 and ANSI Z-359.2</li> </ul>
	<p><b>1219B V-Ring Adjustable without tensioner</b> Military/Parachute 1219-1B PS27765-1B</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 4.5 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>

	<p><b>1237 V-Ring</b> Military/Parachute 1237-1 PS22045-1 1237-2 PS22045-2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• 100% Proof Load Tested @ 2500 lbs</li> <li>• Approximate weight 2.0 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>1259 V-Ring Parachute Harness Quick Fit</b> Military/Parachute 1259-1 PS70102-1 1259-2 PS70102-2 1259-3 PS70102-3</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs.</li> <li>• Approximate weight 4.3 ounces</li> <li>• Meet or exceeds PIA-H-7195</li> </ul>
	<p><b>2018S Triangle Link</b> Military/Parachute  1979AS615</p>	<ul style="list-style-type: none"> <li>• Hot Forged 15-5 PH Steel</li> <li>• Thermal Treated</li> <li>• 100% Proof Load Tested @ 2500 lbs</li> <li>• Approximate weight 1.5 ounces</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2033 V-Ring</b> Military/Parachute  54A90B2</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• Approximate weight 1.6 oz.</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2055 V-Ring, Quick Fit, Parachute Harness</b> Military/Parachute  PS70113 MS70113</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Cad Plated</li> <li>• 100% Proof Load Tested @ 2,500 lbs</li> <li>• 100% Side Load Tested @ 1,000 lbs</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>
	<p><b>2074 Knife Release, Cargo Platform</b> Military/Parachute PS27761 MS27761</p>	<ul style="list-style-type: none"> <li>• Hot Forged Alloy Steel</li> <li>• Thermal Treated</li> <li>• Finish - Phosphate Coating, Waxed</li> <li>• Meets or exceeds PIA-H-7195</li> </ul>

# PARACHUTAGE SPECIFIEK

Part #	Désignation / Description	Dimensions			Emballage / Packaging
		fil / wire	interieur / interior	sangle / webbing	
16781	Anneau HR / <i>HR Ring</i>	dia 3	dia 13		100
16782	Anneau HR / <i>HR Ring</i>	dia 5	dia 21,5		100
16783	Anneau HR / <i>HR Ring</i>	dia 5	dia 33		50
16784	Anneau HR / <i>HR Ring</i>	dia 7,3	dia 45		50
16756	Anneau passant cambré HR / <i>HR bent D-ring</i>		dia 33	45 mm	50
16741	Anneau D HR à barette / <i>HR D-ring with bar</i>	dia 6		45 mm	50
16742	Anneau D HR à barette cambré / <i>HR D-ring with bar bent</i>	dia 6		45 mm	50
16760	Passant à barette type 22040 / <i>Adjuster (22040 type)</i>		25	45 mm	20
16762	Passant à barette autobloquante / <i>Adjuster with self-locking bar (modèle déposé / patented)</i>		28	45 mm	20

16781 / 16782 / 16783 / 16784




16756



16741 / 16742



16760



16762

